

Předmluva

V roce 2024 byla dokončena devítidílná monografie Květena České republiky. Každý z devíti dílů obsahuje i rejstřík vědeckých a českých jmen. Předkládaná publikace *Abecední rejstřík vědeckých a českých jmen pro svazky 1–9* uvádí rejstřík abecedně seřazených jmen taxonů souhrnně pro celé kompendium. Představuje tak nepostradatelnou pomůcku pro uživatele při rychlém vyhledávání jmen taxonů zahrnutých v jednotlivých dílech.

Souhrnný rejstřík se skládá ze dvou částí, rejstříku vědeckých jmen a rejstříku jmen českých. Rejstřík vědeckých jmen je strukturovaný a obsahuje platná jména čeledí, rodů, druhů a kříženců uvedených v jednotlivých svazcích, jejich synonyma a odkazy na tabule a mapy. Na rozdíl od rejstříků jednotlivých dílů jsou v souhrnném rejstříku zahrnuta i jména uvedená v Poznámkách. Rejstřík českých jmen obsahuje pouze odkaz na stranu hlavního zpracování daného taxonu.

Na tomto místě bychom chtěli poděkovat všem, kteří umožnili Abecední rejstřík vydat. Velký dík patří pracovníkům Nakladatelství Academia, především RNDr. Evě Leinerové, grafikovi Janu Frantovi a pracovníkům tiskárny.

Poděkování patří Grantové agentuře České republiky, bez jejíž podpory v rámci grantů č. 206/01/1115, 206/04/0786 a 206/07/0706 by příprava *Abecedního rejstříku vědeckých a českých jmen pro svazky 1–9* nebyla možná. Botanický ústav Akademie věd České republiky jako hlavní koordinátor celého díla Květena ČR podporoval vznik této publikace v rámci projektu RVO: 67985939. Vřelý dík patří Akademii věd České republiky, která svou finanční dotací umožnila vydání *Abecedního rejstříku vědeckých a českých jmen pro svazky 1–9*.

V Praze 11. 12. 2024

Jitka Štěpánková a Anna Kládiová

Preface

In 2024, the nine-volume monograph *Flora of the Czech Republic* was completed. Each of the nine volumes includes an index of scientific and Czech names. The present publication, *Alphabetical index of scientific and Czech names for volumes 1–9*, provides an index of alphabetically ordered taxon names compiled for the entire compendium. It is thus an indispensable aid for users seeking to quickly locate the names of taxa included in the particular volumes.

The summary index consists of two parts, an index of scientific names and an index of Czech names. The Index of scientific names is structured and contains the valid names of families, genera, species and hybrids listed in each volume, their synonyms and references to tables and maps. Unlike the indexes of the individual volumes, the names listed in the Notes are also included in this comprehensive index. The Index of Czech names provides only a reference to the page containing the main treatment of the taxon.

We would like to take this opportunity to thank all those who made the publication of the Alphabetical Index possible. Special thanks go to the staff of Academia Publishing House, especially RNDr. Eva Leinerová, graphic designer Jan Franta and the staff of the printing house.

Thanks are due to the Grant Agency of the Czech Republic, without whose support under grants 206/01/1115, 206/04/0786 and 206/07/0706 the preparation of the would not have been possible. The Institute of Botany of the Czech Academy of Sciences, as the main coordinator of the whole work of *The Flora of the Czech Republic*, supported this publication within the framework of project RVO: 67985939. Our sincere thanks go to the Academy of Sciences of the Czech Republic, whose financial support enabled the publication *Alphabetical index of scientific and Czech names for volumes 1–9*.

Rejstřík vědeckých jmen rostlin

Index of scientific plant names

Jména čeledí a rodů samostatně zpracovaných jsou vytištěna pultučně, ostatní jména čeledí, rodů a platná jména druhů a kříženců obyčejně, synonyma kurzívou.

Číslo dílu, kde začíná samostatné zpracování čeledi, rodu nebo druhu, je vytištěno pultučně s následující dvojtečkou (**1:**), číslo stránky, kde začíná hlavní text čeledi, rodu nebo druhu, je vytištěno pultučně (**188**), číslo stránky s vyobrazením kurzívou (*187*) a stránky s ostatním použitím jména obyčejným písmem (184). Číslo stránky, kde se nachází mapa druhu, je označeno symbolem map (map 3).

Names of families and genera adopted in the Flora of the Czech Republic are printed in bold-face type, other names of families and genera and valid names of species and hybrids in ordinary type, synonyms in italic type.

The number of volume where the main text of the family, genus or species begins is printed in bold-face type with a following colon (**1:**), in page references, numerals in bold-face type (**188**) denote pages where the text on a family, genus or species begins, numerals in italic type (*187*) pages with illustrations and numerals in ordinary type (184) pages where a given name is only incidentally mentioned. The page where the species map is denoted is marked with a map symbol (map 3).

A

Abelicea carpinifolia 1:520

Abelmoschus 3:283

– *esculentus* 3:316

Abies 1:136, 149, 288, **312**; 5:471

– *alba* 1:105, 107, 312, *313*, **314**;
5:473

– *balsamea* 1:317

– *cephalonica* 1:317

– *concolor* 1:312, 314, *315*, **316**

– *excelsa* 1:314, 318

– *excelsior* 1:316

– *falcata* 1:324

– *grandis* 1:312, *313*, **316**

– *homolepis* 1:317

– *kaempferi* 1:310

– *larix* 1:309

– *leptolepis* 1:310

– *menziesii* 1:324, 326

– *nordmanniana* 1:312, **316**,
326, 327

– *omorica* 1:324

– *pectinata* 1:314

– *picea* 1:314

– *pinsapo* 1:317

– *procera* 1:317

– *rubra* 1:318

– *veitchii* 1:317

– *vulgaris* 1:314

Abietaceae 1:288

Absinthium 7:163

– *affine* 7:168

– *vulgare* 7:168

Abutilon 3:282, **284**

– *avicennae* 3:284

– *hybridum* 3:286

– *theophrasti* **3:284**, 288, *289*

Acaena 4:20, 41, 48, 246

– *buchananii* 4:242, *243*, 246

– *microphylla* 4:246

Acantholepis 7:363

Acer 1:146, 151, 178; 5:21, 25,
152, **153**, 471; 6:172

Acer 5:159

– *austriacum* 5:156

– *campestre* 1:105; 5:21, 25,
map 32, 153, **156**, *157*, 468

– *coccineum* 5:159

– *cordifolium* 5:158

– *crispum* 5:154

– *dasycarpum* 5:159

– *dittrichii* 5:154

– *ginnala* **5:153**, 156, *157*, **158**

– *japonicum* **5:153**, **159**

– *leiocarpum* 5:156

– *monspessulanum* 5:158

– *negundo* 1:142

– *negundo* 5:160

– *palmatum* **5:153**, 156, *157*, **158**

– *platanoides* 1:153; **5:153**, **154**,
155

– *polymorphum* 5:158

– *pseudoplatanus* **5:21**, 25, 153,
154, *155*

– *rubrum* **5:153**, **159**

– *saccharinum* **5:153**, 156, *157*,
159, 471, 473

– *tataricum* **5:153**, 154, *155*, **158**

– *tataricum* 5:158

– *trilobum* 5:156

– *villosum* 5:154

Aceraceae 1:178, 180; 5:20, 24,
152

Aceras 8:541

Aceria sanguisorbae 4:244

Acetosa **2:311**, **332**

– *alpestris* **2:332**, **334**, *335*

– *alpestris* × *pratensis* **2:337**

– *alpina* 2:313

– *angiocarpa* 2:338

– *arifolia* 1:map 85, 100, 107

– *arifolia* 2:334

– *pratensis* 1:151; **2:332**, 334,
335

– *pratensis* × *thyrsiflora* **2:337**

– *rugosa* **2:332**, **336**

– *scutata* **2:332**, *333*, **336**

– *thyrsiflora* **2:332**, **334**, *335*,
337

Acetosella 2:311, 337*Acetosella* 5:186– *alba* 5:187– *angiocarpa* 2:338– *corniculata* 5:181– *graminifolia* 2:337– *multifida* 2:332, 333, **337**, 338, 339– *tenuifolia* 2:339– *vulgaris* 2:337, 338, 339**Achillea** 6:173, 480, 486; 7:25, 29, 66, **187**, 188– × *abscondita* 7:215– *asiatica* 7:198, 207– *asplenifolia* 7:25, 29, 194, 195, 196, **199**, 200, 201, 206, 214– *asplenifolia* × *setacea* 7:214, **215**– *borealis* 7:207– *carpatica* 7:211– *cartilaginea* 7:190– *chrysocoma* 7:214– *clypeolata* 7:214– *collina* 6:486; 7:194, 195, 196, 197, **200**, 202, 204, 205, 206, 208, 209, 214, 215– *collina* 7:209– *collina* × *millefolium* subsp. *millefolium* 7:**215**– *collina* × *pratensis* 7:**215**– *crithmifolia* 7:189, 191, 192, **193**, 204, 205– *crustata* 7:199– *crustata* 7:199– *distans* 7:195, 200, 207, 209, 211, 212, 214– *distans* 7:211– *eupatorium* 7:212– *filicifolia* 7:212– *filicifolia* 7:212– *fililoba* 7:194, 197– *filipendulina* 7:27, 31, 189, **212**, 213, 214– *getica* 7:194– *grandifolia* 7:162, 191, 194– *haenkeana* 7:208– × *incognita* 7:**215**– *inundata* 7:207– *lanata* 7:209– *lanata* 7:209– *lanulosa* 7:207– *macrophylla* 7:191, 212– *magna* 7:208– *millefolium* agg. 7:189, **194**, 195, 197, 199, 202, 214, 215– *millefolium* 1:97, 98; 6:178,

486; 7:188, 193, 194, 195,

196, 198, 200, 202, 204, 205, 206, **207**, 208, 209, 215, 249– *millefolium* 7:197, 199, 200, 204, 209, 211– *millefolium* subsp. *millefolium* × *pannonica* 7:**215**– *millefolium* subsp. *millefolium* × *pratensis* 7:**215**– *neilreichii* 7:191– *nobilis* 6:486; 7:26, 30, 188, 189, **191**, 192, 193, 204, 205, 215– *pannonica* 7:194, 195, 196, 197, 198, 200, 202, 203, **209**, 210, 215– *pratensis* 7:194, 197, 199, 200, 201, 202, **204**, 206, 208, 214, 215– *ptarmica* 7:25, 29, map 32, **189**, 191, 204, 205– *rosea* 7:199– *roseoalba* 7:194, 199, 200, 214– *roseoalba* 7:204– *salicifolia* 7:190, 191– *scabra* 7:199– *seidlilii* 7:208– *seidlilii* 7:209– *sericea* 7:193, 194– *setacea* 6:486; 7:26, 30, 193, 194, 195, **197**, 199, 202, 203, 214, 215– *setacea* × *asplenifolia* 7:214– *stepposa* 7:198– *stricta* 7:195, 207, 211– *styriaca* 7:27, 31, 195, 196, 200, **211**, 212, 213– *submillefolium* 7:204– *sudetica* 7:208– *tanacetifolia* 1:105; 7:211, 212– *tanacetifolia* 7:195, 211– *thracica* 7:214– *tomentosa* 7:214– *tuzsonii* 7:194*Achnatherum* 9:389, 390– *calamagrostis* 9:408*Achroanthos* 8:552– *monophyllos* 8:553*Achyrophorus* 7:708– *helveticus* 7:712– *maculatus* 7:711– *radicatus* 7:709– *uniflorus* 7:712**Acinos** 6:557, **646**, 651– *arvensis* 6:646, 647, **648**, 649– *eglandulosus* 6:649– *thymoides* 6:648, 649– *villosus* 6:649– *vulgaris* 6:648*Aconitella* 1:388**Aconitum** 1:148, 366, **392**– *album* 1:399– *amoenum* 1:396– *anthora* agg. 1:401– *anthora* 1:105, 394, 395, **400**, 401– *balcanicum* 1:400– *beckianum* 1:403– *bracteosum* 1:394, 396– *callibotryon* 1:96, 107, 109, **394**, 396, 397, 400– *callibotryon* × *variegatum* 1:**403**– *cammarum* 1:398– × *cammarum* 1:394 (ut × *cammarum*), 395, **400**– *carmichaelii* 1:400– *clusianum* 1:396– *clusii* 1:394, 398– *compactum* 1:396– *dominii* 1:399– × *exaltatum* 1:**403**– *firmum* 1:96, 101, 107, 109, 394, 396, 397, **398**, 400, 403– *firmum* 1:396– *firmum* × *variegatum* 1:**403**– *formosum* 1:396– *gracile* 1:398– *hians* 1:394, 399– *intermedium* 1:400– *jacquini* 1:401– *jacquini* 1:400– *judenbergense* 1:399– *koelleianum* 1:398– *laetum* 1:394, 396– *lasianthum* 1:403– *lycoctonum* 1:401, 403– *moldavicum* 1:402– *napellus* agg. 1:394– *napellus* 1:396, 400– *napellus* 1:394, 396, 398, 400– *nasutum* 1:399– *neomontanum* 1:400– *palmatifidum* 1:398– *paniculatum* 1:400– *paniculatum* 1:399– *penninum* 1:403– *plicatum* 1:396– *rostratum* 1:398– *skerisorae* 1:398– *stoerkianum* 1:400– *tatrae* 1:398– *tauricum* 1:396, 398